



BAHAMA[®]

Pure
Price List 2022





Pure | round, square

in m	Ø 2.0	Ø 2.5	Ø 3	Ø 3.5	Ø 4	2 x 2	2.5 x 2.5	3 x 3	3.5 x 3.5	4 x 4
	2.8 m ²	4.4 m ²	6.3 m ²	8.6 m ²	11.3 m ²	4 m ²	6.3 m ²	9 m ²	12.3 m ²	16 m ²
	8 Spokes	8 Spokes	8 Spokes	8 Spokes	8 Spokes	4 Spokes	8 Spokes	8 Spokes	8 Spokes	8 Spokes









No.	Item	Description	Weight/Dimensions/ Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	
Umbrella Model and Frame*													
1	Pure WITHOUT valance »betex®05« polyester fabric - exclusively crafted for Bahama	- textile membrane made of »betex®05« polyester fabric - 25 colors available according to color chart printing possible - aluminum frame in anthracite grey RAL 7016, textured matte finish - component parts in V2A stainless steel	- depending on umbrella size - fabric weight: approx. 200 g/m ²			1,198		1,548		1,258	1,418	1,618	1,798
2	 Pure WITH valance »betex®05« polyester fabric - exclusively crafted for Bahama	same as 1, but with: - straight edged valance	valance height: approx. 30 cm			1,358		1,728		1,398	1,578	1,778	1,978
3	Umbrella Center Pole Extension	depending on the model, up to 50 cm are possible				148		148		148	148	148	148
4	Umbrella Center Pole Reduction	on request				148		148		148	148	148	148
Original Bahama Textile Membrane for Replacement*													
5	WITHOUT valance	made of »betex®05« polyester fabric				538		698		568	638	728	808
6	WITH valance	made of »betex®05« polyester fabric				698		878		708	798	888	988
Printing													
7	 Printing	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI, ...)		please refer to separate printing price list									

Pure | rectangular
















in m	2.5 x 2.0	3.0 x 2.0	3.0 x 2.5	3.5 x 2.0	3.5 x 2.5	3.5 x 3.0	4.0 x 2.0	4.0 x 2.5	4.0 x 3.0	4.0 x 3.5
	5 m ²	6 m ²	7.5 m ²	7 m ²	8.8 m ²	10.5 m ²	8 m ²	10 m ²	12 m ²	14 m ²
	6 Speichen	6 Speichen	8 Speichen	6 Speichen	8 Speichen	8 Speichen	8 Speichen	8 Speichen	8 Speichen	8 Speichen

No.	Item	Description	Weight/Dimensions/ Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €	
Umbrella Model and Frame*													
1	Pure WITHOUT valance »betex®05« polyester fabric - exclusively crafted for Bahama	- textile membrane made of »betex®05« polyester fabric - 25 colors available according to color chart printing possible - aluminum frame in anthracite grey RAL 7016, textured matte finish - component parts in V2A stainless steel	- depending on umbrella size - fabric weight: approx. 200 g/m ²			1,098				1,388		1,628	
2	 Pure WITH valance »betex®05« polyester fabric - exclusively crafted for Bahama	same as 1, but with: - straight edged valance	valance height: approx. 30 cm			1,238				1,548		1,808	
3	Umbrella Center Pole Extension	depending on the model, up to 50 cm are possible				148				148		148	
4	Umbrella Center Pole Reduction	on request				148				148		148	
Original Bahama Textile Membrane for Replacement*													
5	WITHOUT valance	made of »betex®05« polyester fabric				498				628		738	
6	WITH valance	made of »betex®05« polyester fabric				638				788		918	
Printing													
7	 Printing	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI, ...)		please refer to separate printing price list									

Pure | round, square, rectangular

No.	Item	Description	Weight/Dimensions/ Technical Data	all models Price in €
Mobile Installation Options				
8	 Cross-Frame for 8 flagstones	 <ul style="list-style-type: none"> - hot-dip galvanized - suitable for 8 standard flagstones 500 x 500 x 50 mm (not included in the price) - without height adjustability (optional: please refer to No. 10) 	<ul style="list-style-type: none"> - cross-frame weight: approx. 28 kg - cross-frame dimensions: 1,130 x 1,130 mm 	388
9	Powder Coating of cross-frame for 8 flagstones	<ul style="list-style-type: none"> - powder coating - in RAL color of umbrella frame 	for 8 flagstones	198
10	4 Leveling Feet for height adjustability of cross-frame	 <ul style="list-style-type: none"> - in all 4 corners 		98
11	 Steel Plate Base with 4 Steel Plates 1 layer	 <ul style="list-style-type: none"> - 4 steel plates 490 x 490 x 15 mm - without wind warranty 	<ul style="list-style-type: none"> - dimensions per plate: 490 x 490 x 15 mm - weight per plate: approx. 28 kg (total approx. 125 kg) 	
12	 Steel Plate Base with 8 Steel Plates 2 layers	 <ul style="list-style-type: none"> - 8 steel plates 490 x 490 x 15 mm 	<ul style="list-style-type: none"> - dimensions per plate: 490 x 490 x 15 mm - weight per plate: approx. 28 kg (total approx. 235 kg) 	2.118
13	Powder Coating of 4 Steel Plates	<ul style="list-style-type: none"> - powder coated in anthracite grey RAL 7016, textured matte finish 	dimensions per plate: 490 x 490 x 15 mm	458
14	Spacer for Steel Plate Base	 <ul style="list-style-type: none"> - for steel plates e.g. for terrace substructures 	height: min. 89 mm - max. 350 mm	328

Pure | round, square, rectangular

No.	Item	Description	Weight/Dimensions/ Technical Data	all models Price in €
Permanent Installation Options				
15	 In-Ground Tipping Base	 <ul style="list-style-type: none"> - lower part to be set in concrete - powder coated above-ground connecting components with tilting hinge - powder coated center pole sleeve 	weight: approx. 3.4 kg	298
16	Spacer	 <ul style="list-style-type: none"> - serves to bridge over a gap e.g. an installation in a Kindergarten sandbox - for In-Ground Tipping Base (No. 15) 	<ul style="list-style-type: none"> - custom height: min. 89 mm - max. 392 mm (special sizes on request) 	268
17	 Surface Mount	 <ul style="list-style-type: none"> - powder coated in RAL color of the umbrella frame - with counter-bores - screw-on connecting components with tilting hinge - suited for bolting onto massive concrete surfaces 	weight: approx. 14.2 kg	418
18	 Optional: »fischer« heavy duty anchoring bolts 1 set = 4 pcs.	<ul style="list-style-type: none"> - type # FH II 15/15 SK A4 - M10 thread for surface mount with counter-bores - incl. concrete drill insert type # SDS Plus II, 105 mm drill depth and SW 6 Allen wrench 		158
19	 Multi-use Flange Plate	 <ul style="list-style-type: none"> - galvanized multi-use flange plate adaption for connecting components of In-Ground Tipping Base - for Event - for in-ground bases with 3 or 4 screws - incl. winter cover 	weight: approx. 9.7 kg (weight incl. winter cover)	208
Protective Cover				
20	 Protective Cover - basic	made of tent fabric (Nicotarp) with lacing		118
21	 Protective Cover - comfort	 <ul style="list-style-type: none"> - made of »betex®05« polyester fabric, color 9801 - concrete - with zipper 		338
22	 Protective Cover - comfort with telescopic rod	 <ul style="list-style-type: none"> - same as 19, but with: - telescopic rod 		418
Soft Foam Safeguard				
23	 Soft Foam Safeguard for center pole of umbrella	 <ul style="list-style-type: none"> - round shape, with Velcro - available in 10 colors - must be removed before opening or closing the umbrella 		288

Remark: The appearance of the items shown in the technical illustrations may vary.


All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and **excluding** VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version.

Notes

A large grid of dotted lines for taking notes, spanning the width of the page and extending down to the footer area.



01/2022

BAHAMA[®]