


**Ванама®**

Jumbrella outSide

**Price List 2023**



# Jumbrella outSide | round, square



in m      Ø 3      Ø 3.5      Ø 4      3 x 3      3.5 x 3.5      4 x 4  
 7 m<sup>2</sup>      9.6 m<sup>2</sup>      12 m<sup>2</sup>      9 m<sup>2</sup>      12 m<sup>2</sup>      16 m<sup>2</sup>  
 8 Spokes      8 Spokes      8 Spokes      8 Spokes      8 Spokes      8 Spokes

No.	Item	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €
<b>Umbrella Model and Frame*</b>									
1	Jumbrella outSide »betex®05« fabric – exclusively crafted for Bahama	- textile membrane made of »betex®05«   polyester fabric - numerous colors according to color chart - printing possible - aluminum frame in traffic white   RAL 9016 - textured matte finish, resin components in white - component parts in V2A stainless steel	- depending on umbrella size - fabric weight: approx. 200 g/m <sup>2</sup>	6,550	6,665	6,865	6,665	6,865	7,065
2	 Frame Color anthracite grey frame finish	- aluminum frame in anthracite grey   RAL 7016, textured matte finish - resin components in black				without surcharge			
3	 Frame Color fancy designs	- aluminum frame in e.g. »Golden Oak« finish, concrete look or corten steel look - resin components in black				805			
4	 Frame Color custom finish	aluminum frame in custom RAL finish			595	without surcharge when at least 6 or more umbrellas are ordered under the same purchase order			
5	Resin Components in black	instead of white				without surcharge			
6	 V4A   Maritime Edition	all component parts in V4A off-shore stainless steel			480				
7	Umbrella Center Pole Extension	depending on the model, up to 50 cm are possible			300				
<b>Umbrella Model and Frame with alternative Textile Membrane*</b>									
8	Jumbrella outSide »Preconstraint 302«	Frame and frame options same as 1-7, however: - textile membrane made of »Preconstraint 302« - polyester fabric 550 Dtex with PVC coating - numerous colors according to color chart   printing possible - B1 certified   flame retardant	fabric weight: approx. 480 g/m <sup>2</sup>	7,530	7,665	7,895	7,665	7,895	8,125
9	Jumbrella outSide »elegance«*	same as 8, however: - textile membrane made of »elegance«*   polyester fabric - distinctive surface feel   printing is not possible	fabric weight: approx. 310 g/m <sup>2</sup>	7,530	7,665	7,895	7,665	7,895	8,125
10	Jumbrella outSide »ZebraS, elegance striped«*	same as 9, however: - striped	fabric weight: approx. 310 g/m <sup>2</sup>	7,755	7,895	8,130	7,895	8,130	8,370
<b>Original Bahama Textile Membrane for Replacement*</b>									
11	Textile Membrane for Replacement »betex®05«	made of »betex®05«   polyester fabric		595	675	830	705	945	1,055
12	Textile Membrane for Replacement »Preconstraint 302«	made of »Preconstraint 302«   PVC coated polyester fabric		880	975	1,155	1,030	1,330	1,475
13	Textile Membrane for Replacement »elegance«*	made of »elegance«*   polyester fabric		880	975	1,155	1,030	1,330	1,475
14	Textile Membrane for Replacement »ZebraS, elegance striped«*	made of »ZebraS, elegance striped«*   polyester fabric		1,085	1,205	1,410	1,285	1,645	1,790
<b>Printing</b>									
15	 Printing	- individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,...)				please refer to separate printing price list			

\* Minimum order quantity 4 umbrellas / or 4 replacement membranes

\* for the textile membrane please indicate the desired color code taken from Bahama color chart.

All prices stated are to be regarded as ex-works and **excluding VAT**. This price list is subject to our General Terms and Conditions in the respectively applicable version.

## Jumbrella outSide | square ☀️

No.	Item	Description	Price in €	Price in €	Price in €
<b>Textile Gutter   TVR*</b>					
16	Frame Modification for Textile Gutter	- modification of the parasol frame for the attachment of the textile gutter (per spoke) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	19	19	19
17	Textile Gutter	textile gutter made of »betex®05«   polyester fabric	560	595	640
18	Textile Gutter	textile gutter made of »Preconstraint 302« PVC coated polyester fabric 550 Dtex in SERGE FERRARI PRECONTRAINT Technology	630	670	720
19	Textile Gutter	textile gutter made of »elegance«*   polyester fabric	630	670	720
<b>Side Panel*</b>					
20	Frame Modification for Side Panel	- modification of the parasol frame for the attachment of the side panel (per spoke) - for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole)	19	19	19
21	Side Panel WITHOUT window	- made of »betex®05«, analogous to the textile membrane - mounted to spokes via snap hook - rollable, can remain in open parasol - connection via zippers - aluminum slide-in profiles on the top/bottom edges	360	400	450
22	Side Panel WITHOUT window WITH door on right or left	same as 21, however: - roll-up door - side panel for cantilever side to be ordered separately	510	550	600
23	Side Panel WITH window	same as 21, however: - flexible window made of transparent film   0.5 mm thickness	375	420	470
24	Side Panel WITH window WITH door on right or left	same as 23, however, with: - roll-up door	525	570	620
25	Connecting Piece	- connecting piece for joining 2 parasols - textile with zippers	125	125	125

in m    **3 × 3**  
            9 m<sup>2</sup>  
            8 Spokes

**3.5 × 3.5**  
            12 m<sup>2</sup>  
            8 Spokes

**4 × 4**  
            16 m<sup>2</sup>  
            8 Spokes

## Jumbrella outSide | round, square ☀️ ☀️

No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
<b>Permanent Installation Options</b>				
26	In-Ground Tipping Base	 	- lower part to be set in concrete - powder coated above-ground connecting components with tilting hinge - with theft prevention device	weight: approx. 42 kg  600
27	In-Ground Tipping Base Installation WITH electrical connection   Radiator	 	same as 26, however: - for umbrella with electromechanical features	weight: approx. 45.5 kg  700
28	In-Ground Installation Extension	 	- serves to bridge over a gap - e.g. an installation in a Kindergarten sandbox - In-Ground Installation, tiltable (No. 26, 27 and 29)	custom height: from 89 up to 400 mm  360
29	2-piece Flat Foot Mount	 	- powder coated above-ground connecting components with tilting hinge - steel plate galvanized	- dimensions: 620 × 620 × 20 mm - weight: approx. 77.5 kg  1,450
30	Optional: »fischer« heavy duty anchoring bolts   1 set = 8 pcs.	 	- type #FH II 18/30 SK A4 - M12 thread for 2-piece flat foot mount with counter-bores - incl. concrete drill insert type #SDS Plus II, 135 mm drill depth and SW8 Allen wrench	530
31	Wall Brackets	 	- set of two brackets for wall mounting - material: powder-coated aluminum	  595
32	Fastening set for Wall Brackets		Fastening set for installation of the Wall Brackets (item No. 31) inside the wall (each for concrete or hollow block walls) - mounting kit for walls without external thermal insulation - mounting kit for walls with external thermal insulation	  95  370

### Bahama Wind Warranty \*

Bahama grants you, in addition to the legally binding warranties and on the basis of our General Terms and Conditions, a wind warranty for parasols in open condition. The maximum wind velocity depends on the parasol model and the chosen Bahama installation option.

The basic wind warranty of 37 months can be extended twice – each time for 37 months. The full validity period of the wind warranty Bahama offers, including the two-time extensions, is in total 111 months, that means 3,376 days or more than 9 years. You may be asking yourself how we calculate such a time frame? The tensile strength of the textile membrane lessens over time due to the influence of various weather conditions and especially disproportionately in the first 3 years. The other fundamental properties of the parasol such as sun protection and waterproofness remain the same. Bahama can, however, only grant the wind warranty with maximal tension and tensile strength of the textile membrane.

For this reason: a newly exchanged Bahama textile membrane = a new Bahama wind warranty.

\* Minimum order quantity 4 umbrellas / or 4 replacement membranes

\* for the textile gutters and side panels please indicate the desired color code taken from Bahama color chart.


Remark: The appearance of the items shown in the technical illustrations may vary.

# Jumbrella outSide | round, square




No.	Item	Description	Weight/Dimensions Technical Data	all models Price in €
<b>Protective Cover</b>				
33	 Protective Cover – comfort	 - made of »betex®05«   polyester fabric   color 9801 - concrete - with zipper for telescopic rod		<b>445</b>
34	 Protective Cover – comfort with telescopic rod	 same as 33, but with: - telescopic rod		<b>590</b>
<b>Impact Protection</b>				
35	 Soft Foam Safeguard for center pole of umbrella	 - 2-piece design - round shape, with Velcro - available in 10 colors		<b>525</b>
<b>LED-Lighting</b>				
36	 LED-Lighting with 4 RGBW-LED strips	 - 8 RGBW-LED strips - indirect RGBW-LED lighting 120-240/24 V - with remote control - integrated in umbrella spokes		<b>1,055</b>
37	 LED-Lighting with 8 RGBW-LED strips	same as 36, however: - 8 RGBW-LED strips		<b>1,265</b>
<b>Heating</b>				
38	 2 Radiators	 - 2 electric infrared radiators - variable via remote control - can remain in closed umbrella - Spiral cable inside umbrella pole with 5-pole plug connection for on-site source cable 5 × 2,5 mm <sup>2</sup>	1,500 Watts per radiator	<b>2,060</b>
39	 4 Radiators	same as 38, but with: - 4 electric infrared radiators	1,500 Watts per radiator	<b>2,755</b>
40	 Price Reduction for combination of lighting & radiators	when lighting and radiators are ordered at the same time		<b>-200</b>

## Notes



01/2023

**Банама®**

Bahama GmbH | Gewerbeparkstr. 34 | D-51580 Reichshof | T +49 (0) 2265 998 0 | F +49 (0) 2265 998 344 | [info@bahama.de](mailto:info@bahama.de)  
**[www.bahama.de](http://www.bahama.de)**